



Uživatelská příručka

- Zapnutí
- Princip činnosti ON/OFF: Připojené spotřebiče fungují/zastavují se zapnutím/vypnutím napájení pod proudem.


1 gang



2 gang



2 gang 1 way



Jak se připojit:

1. Zapojte zařízení
2. Najděte otevřený wifi hotspot se slovem Tasmota v názvu
3. Připojte se k němu a přejděte v prohlížeči na adresu 192.168.4.1
4. Zadejte název a heslo své wifi sítě
5. After confirming network data, power strip will show you IP address that it will be available from, copy it, just in case.
6. It will automatically redirect you to this address after you network data is filled and saved.
7. Power strip is ready to use. Template and rules already activated, but in case you will need it later - you can find it below

Template Parameters:

```
{"NAME":"NOUS Smart WiFi Switch Module L13T","GPIO":[1,161,1,160,225,224,1,1,544,1,32,1,1,1],"FLAG":0,"BASE":18}
```

The screenshot shows the Tasmota web interface for the 'NOUS Smart WiFi switch module'. The 'Template parameters' section is active, displaying a list of GPIO pins and their configured functions. The 'Name' field is set to 'NOUS Smart WiFi switch r' and 'Based on' is set to 'Generic (18)'. A 'Save' button is at the bottom.

GPIO	Function	Value
GPIO0	User	
GPIO1	Switch	2
GPIO2	User	
GPIO3	Switch	1
GPIO4	Relay	2
GPIO5	Relay	1
GPIO9	User	
GPIO10	User	
GPIO12	LedLink	
GPIO13	User	
GPIO14	Button	1
GPIO15	User	
GPIO16	User	
GPIO17	User	

if there is power button:

Hold the power button 40+ seconds, untill light blinks and device restarts

if there is no power button:

Plug the device in and out 6 times and leave plugged in on the 7th - LED should start to blink, that means socket is ready to be connected again

if have access to the web interface:

zadejte do konzoly **reset 1** a stiskněte enter

Intelligentní domácí intergace

Tasmota je neuvěřitelně rozšiřitelná a flexibilní a lze ji integrovat s:

Alexa, AWS IoT, Domoticz, Home Assistant, Homebridge, HomeSeer, IP Symcon, KNX, NodeRed, nymea, OctoPrint, openHAB, Otto, IOBroker, Mozilla WebThings Adapter, SmartThings, Tasmohab, Homematic ip atd.